



Mount Alvernia Hospital

Parathyroid Scan (Dual Phase)

Your doctor has asked us to carry out a Parathyroid Scan (Dual Phase) on you.

Appointment details

Patient name:

Date of appointment:

Time of appointment:

Injection time:

Scan times:

Every effort will be made to keep to this time, but due to the nature of the investigations, delay can occur for which we apologise in advance.

If you are unable to keep your appointment, please inform us at least 48 hours in advance of your scan, as there may be a cancellation fee for any appointments missed. Please telephone 01483 442696, so an alternative appointment can be arranged for you.

What does the Parathyroid Scan involve?

We will place a needle into a vein in your arm or the back of your hand. Through this needle a slightly radioactive tracer will be administered. We will take pictures of your neck 10 minutes and 1.5 - 2 hours after the injection. Please allow approximately 3.5 – 4 hours for the process.

Preparation required for the Parathyroid Scan

You may eat and drink normally.

Can I bring somebody with me?

Due to Covid'19 we ask you to not bring any relatives or friends with you, as we want less people coming to hospital. If in any case someone is accompanying you, please can they wait in car.

Also it is very important that you do not bring children or pregnant friends with you because Parathyroid scan uses radiation and children and pregnant women are particularly susceptible to radiation.



Mount Alvernia Hospital

Special Warnings

You may feel some discomfort from the pinprick of the injection. Side effects from the injection are extremely rare.

A very small amount of radioactivity is injected into your body. The risk this involves is very small and your physician will not consider carrying out the investigation unless he believes that the risk is outweighed by the potential benefit of the study.

Further guidance has been published by Public Health England.

Visit website- <https://www.gov.uk/government/publications/ionising-radiation-from-medical-imaging-examinations-safety-advice>

Do I need to do anything after the scan?

You may eat and take your medication as normal. For the next 6 hours, the more fluid you drink and empty your bladder the better, as radioactivity is passed out in the urine

Also, it is advised that for 12 hours following the radiopharmaceutical injection, you should avoid prolonged close contact with pregnant women, babies and children.

Further information is available should you require it.

Information for ladies

If you are pregnant or think you might be pregnant, we need to know before the injection of radioactivity.

In addition, if you are currently breastfeeding, again please inform the staff, as for certain procedures you may have to discontinue breast feeding for a certain period.

For further information please contact us at the Imaging Department on 01483 442696