



Mount Alvernia Hospital

SeHCAT SCAN

Your doctor has asked us to carry out SeHCAT Scan on you.

Appointment details

Patient name:

Date of appointment:

Time of appointment:

Scan time:

And:

Scan Time:

Every effort will be made to keep to this time, but due to the nature of the investigations, delay can occur for which we apologise in advance.

If you are unable to keep your appointment, please inform us at least 4 working days in advance of your scan, as there may be a cancellation fee of £300.00 to cover the cost of the radiopharmaceutical for any appointments missed. Please telephone 01483 442696, so an alternative appointment can be arranged for you.

What does the SeHCAT scan involve?

On the first day of the scan you will swallow a capsule of SeHCAT with water, 3 hours later you will have a scan of your abdomen which will take approximately 15 minutes. The scan will be repeated the following week and will again last 15 minutes

Preparation required for the SeHCAT Scan

Please let us know if you are taking any medication. Certain drugs may need to be stopped.

On the day of the first scan, you may have a light breakfast/food before 8:00am and then no more food, if thirsty sips of water are allowed. Once you have swallowed the capsule you should avoid opening your bowels until after the 3 hour image, but you may empty your bladder as required. Also do not eat food until after the 3 hour images and if thirsty you may have sips of water.

There are no restrictions for the second scan regarding food or drink or habits. However, if you have found it necessary to use medication during the week between the 2 scans, please tell the Nuclear Medicine Technologist.



Mount Alvernia Hospital

Can I bring somebody with me?

Due to Covid'19 we ask you to not bring any relatives or friends with you, as we want less people coming to hospital. If in any case someone is accompanying you, please can they wait in car.

Also it is very important that you do not bring children or pregnant friends with you because the scan uses radiation and children and pregnant women are particularly susceptible to radiation.

Special Warnings

You have been administered very small amount of radioactivity. The risk this involves is very small and your physician will not consider carrying out the investigation unless he believes that the risk is outweighed by the potential benefit of the study.

Further guidance has been published by Public Health England.

Visit website- <https://www.gov.uk/government/publications/ionising-radiation-from-medical-imaging-examinations-safety-advice>

Do I need to do anything after the scan?

Please drink plenty of fluids and empty your bladder frequently.

Also, it is advised that for 12 hours following the radiopharmaceutical administration you should avoid prolonged close contact with pregnant women, babies and children.

Further information is available should you require it.

Information for ladies

If you are pregnant or think you might be pregnant, we need to know before the injection of radioactivity.

In addition, if you are currently breastfeeding, again please inform the staff, as for certain procedures you may have to discontinue breast feeding for a certain period.

For further information please contact us at the Imaging Department on 01483 442696